PLOT PLAN 1" = APPROX 200'



SOIL CLASS: Mk
SOURCE: USDA-SCS SOIL SURVEY

BENCH MARKS:
#1 TOP OF IRON PIPE AT LOT COR ELEV 100.0
#2 NAIL IN 24" PINE ELEV 107.5

DESIGN INTENT:
BED BOTTOM TO BE PLACED NO LOWER THAN 2.0' BELOW EXISTING GRADE, UPSLOPE SIDE.

SUITABLE REPLACEMENT AREA:
IN PLACE OR REDESIGN

KEY:
- EXISTING CONTOUR
- PROPOSED CONTOUR
- 100.0 EXISTING SPOT ELEVATION
- (100.0) PROPOSED SPOT ELEVATION

(PROPOSED GRADING SHOWN ONLY AS IT PERTAINS TO SEPTIC SYSTEM DESIGN)

NOTES:
1. SUBDIVISION APPROVAL #17990
2. THIS SYSTEM IS NOT DESIGNED TO HANDLE GARBAGE DISPOSAL WASTE.

LOCUS MAP NO SCALE





CROSS SECTION — NO SCALE



PLAN — 1" = 20'



TOWN INSPECTOR: N/A

TEST PIT DATA DATE: 4/4/85



PERC TEST DATE: 4/4/85

DEPTH OF HOLE: 34"
RATE OF PERC: 2 MIN/IN
DESIGN LOADING: 4 BEDROOMS
AREA REQUIRED: 750 SQ. FT.
PROPOSED SYSTEM: 20 × 38 FOR 760 SQ. FT. AREA PROVIDED

PLAN OF PROPOSED SEPTIC SYSTEM

LOCUS: LOT 6A, BLACKSNAKE RD SEABROOK, N.H.

OWNER: LORRAINE NOBLE
85 BROADWAY
METHUEN, MA. 01844

APPLICANT: ANNE W. BIALOBRZESKI
247 LANDING ROAD
HAMPTON, N.H. 03842
DESIGNER PERMIT #348

DATE: 4/8/85

APPROVAL: 120425

35